

LGP CLASSIC 10:10

Medicinal Cannabis Oral Oil Consumer Medicine Information (CMI)

What is in this leaflet

Please read this leaflet carefully before you start using LGP CLASSIC 10:10

This leaflet answers some common questions about LGP CLASSIC 10:10 medicinal cannabis. It does not contain all the available information. It does not take the place of talking to your doctor or pharmacist.

All medicines have risks and benefits. Your doctor has weighed the risks of you using LGP CLASSIC 10:10 against the benefits he or she expects it will have for you.

If you have any concerns about using this medicine, ask your doctor or pharmacist.

Keep this leaflet with the medicine. You may need to read it again.

What LGP CLASSIC 10:10 medicinal cannabis is used for

There is growing evidence that medicinal cannabis may have a role in several medical conditions. These include intractable chronic pain insufficiently responsive to other analgesics, pain associated with spasticity in multiple sclerosis (MS), pain associated with cancer in palliative care, nausea and vomiting caused by cancer treatment, appetite loss, sleep disturbance, post-traumatic stress disorder (PTSD) and body wasting. Your doctor may have prescribed LGP CLASSIC 10:10 for another reason.

Ask your doctor if you have any questions about why LGP CLASSIC 10:10 has been prescribed for you.

The potential therapeutic and adverse effects associated with medicinal cannabis use may vary depending on the amount of medicinal cannabis used and the medical condition.

LGP CLASSIC 10:10 is an unregistered medicine. It is only available for use by you, following approval from the Australian Therapeutic Goods Administration (TGA), Special Access Scheme for your doctor to prescribe for you

What LGP CLASSIC 10:10 does

LGP CANNABIS 10:10 is a medicinal cannabis oil for oral use. It contains two cannabinoids (*canna-bin-oids*), THC and CBD.

These cannabinoids may benefit patients in a variety of clinical settings including chronic pain, multiple sclerosis (MS), palliative care and cancer treatment induced nausea, appetite loss, post traumatic stress disorder (PTSD) and sleep disturbance.

How LGP CLASSIC 10:10 works

The exact mechanism and magnitude of effects of THC and CBD are not fully understood. The THC and CBD in LGP CLASSIC 10:10 act on very specific targets in the body, known as cannabinoid receptors. These receptors are found throughout the body, in most tissues and organs, but they are especially numerous in the brain and nervous system.

Before you take LGP CLASSIC 10:10

Your doctor will assess the suitability and dose of LGP CLASSIC 10:10 for your clinical condition against the effectiveness of currently approved medicines.

When to use it with caution

Use LGP CLASSIC 10:10 with caution if:

- you have liver, kidney, heart or lung disease
- you have a family history of serious mental disorders such as schizophrenia, psychosis, depression, or bipolar disorder
- you have a history of alcohol or drug abuse or substance dependence

When you must not use it

Do not use LGP CLASSIC 10:10 if:

- you are allergic to any cannabinoid or any of the other ingredients listed
- you have a personal history of schizophrenia or psychosis

Do not take LGP CLASSIC 10:10 if you are pregnant, are planning to get pregnant, or are breastfeeding.

Talk to your doctor if you are not sure whether you should start using LGP CLASSIC 10:10.

Do not take LGP CLASSIC 10:10 after the expiry date has passed.

Do not take LGP CLASSIC 10:10 if the packaging is torn or shows signs of tampering.

If you are not sure whether you should start taking LGP CLASSIC 10:10, contact your doctor or pharmacist.

Before you start to use it

Tell your doctor if you:

- have allergies to any other medicines
- have allergies to any other substances such as foods, preservatives or dyes
- are pregnant, are planning to get pregnant, or are breastfeeding have a personal or family history of serious mental disorders such as schizophrenia, psychosis, depression, or bipolar disorder

If you have not told your doctor about any of the above, tell them before you start using LGP CLASSIC 10:10.

Taking other medicines

Tell your doctor if you are taking any other medicines, including medicines that you buy without a prescription from your pharmacy, supermarket or health food shop. You should also tell any health professional who is prescribing a new medication for you that you are taking LGP CLASSIC 10:10.

Some medicines may interfere with LGP CLASSIC 10:10. These include:

- Any drugs which slow down the central nervous system, causing drowsiness. These may include sleeping pills, sedatives, some pain medicines, some allergy or cold medicines, or anti-seizure medicines or alcohol.
- Other drugs may include antiretroviral drugs used in the treatment of HIV/AIDS, certain anti-depressants, stomach acid inhibitors, certain antibiotic and antifungal medicines, certain heart medicines, and Saint John's Wort.

These medicines may be affected by LGP CLASSIC 10:10 or may affect how well it works. You may need different amounts of your medicine, or you may need to take different medicines.

Your doctor or pharmacist has more information on medicines to be careful with or avoid while taking LGP CLASSIC 10:10.

How to take LGP CLASSIC 10:10

How and when to take it

LGP CLASSIC 10:10 is for oral use only. Use the 1mL oral syringe provided to measure the dose prescribed by your doctor. Follow the dosing instructions on the pharmacy label. There is not yet a scientifically defined dose of medicinal cannabis for any specific medical condition. **If you have not consumed medicinal cannabis before, it would be prudent to have someone with you the first time you use it.**

Your doctor will work with you to decide the dose of LGP CLASSIC 10:10 that best suits you and your symptoms and minimises unwanted side effects.

Follow all directions given to you by your doctor and pharmacist.

Your doctor will guide you how to start with a very low dose using the approach of "Start Low, Go Slow". You and your doctor will monitor the product's effectiveness and unwanted side effects. Wait a minimum of 6 to 8 hours between each dose to assess effectiveness, and to reduce the potential for unwanted side effects.

How long to take LGP CLASSIC 10:10

Your doctor will advise how long you need to take LGP CLASSIC 10:10.

If you forget to take it

Wait until the next dose is due.

Do not take a double dose to make up for the dose that you missed. This may increase the risk of getting an unwanted side effect.

In case of overdose

If you take too much (overdose)

If you think that you or anyone else may have taken too much LGP CLASSIC 10:10 immediately telephone your doctor and/or the Poisons Information Centre (telephone 13 11 26, which is available 24 hours every day), or go to the Emergency Department at your nearest hospital.

Do this even if there are no signs or symptoms of discomfort or poisoning.

Symptoms of overdose may include sleepiness, confusion, disorientation, clumsiness or loss of coordination, fainting, dizziness, chest pain, fast, slow or pounding heartbeat, panic attacks, loss of contact with reality and seizures.

While you are using LGP CLASSIC 10:10

Things you **must do**

Stop using LGP CLASSIC 10:10 immediately and consult your doctor if you begin to experience any side effects (see side effects section for additional information).

If you are about to be started on any other new medicine tell your doctor and pharmacist that you are taking LGP CLASSIC 10:10.

Things you **must not do**

Do not give LGP CLASSIC 10:10 to anyone else, even if they have the same condition as you.

DO NOT DRIVE OR OPERATE MACHINERY WHILE TAKING LGP CLASSIC 10:10.

Check with your doctor when it is safe to drive after stopping taking LGP CLASSIC 10:10.

Things to be careful of

LGP CLASSIC 10:10 may make you feel drowsy or sleepy.

Side Effects

Tell your doctor or pharmacist as soon as possible if you do not feel well while you are using LGP CLASSIC 10:10.

All medicines can have side effects. Sometimes they are serious, most of the time they are not. You may need medical treatment if you get some of the adverse effects.

Ask your doctor or pharmacist to answer any questions you may have.

Do not be alarmed by this list of possible side effects. You may not experience any of them.

The information on side effects associated with therapeutic use of medicinal cannabis is limited. **Tell your doctor or pharmacist if you notice any of the following side effects.** Some of the more well-known side effects of medicinal cannabis are intoxication-like reactions including:

- dizziness, drowsiness, feeling faint or lightheaded, feeling tired;
- feeling elated or euphoric – 'on a high', feeling confused, having hallucinations (seeing or hearing things that do not exist);
- feeling suspicious or paranoid;
- dry mouth, feeling sick, vomiting, or diarrhoea;
- Increase or decrease in appetite;
- fast heartbeat.

Other adverse effects not listed above may also occur in some patients. **Tell your doctor if you notice any other effects.**

Patients and carers can report a side effect by telephone and are encouraged to speak to a pharmacist from [NPS MedicineWise](#) on 1300 134 237. The pharmacist can provide further advice on how to manage the side effect and lodge a report.

Consumers, patients, carers and healthcare professionals are encouraged to report serious side effects (also called adverse drug events) to the Therapeutic Goods Administration (TGA) via the website **TGA online, Adverse Event Reporting** by registering and completing the report at www.tga.gov.au/reporting-problems

After using LGP CLASSIC 10:10

Storage

Store at 2°C to 8°C (Refrigerate. **Do not freeze**). If you store LGP CLASSIC 10:10 outside the refrigerator it may not keep well.

Protect from light.

Keep it safe where children cannot reach it.

Disposal

Return any unused or expired LGP CLASSIC 10:10 to a pharmacy for safe disposal

Expiry

The expiry date is shown on the bottle label.

Product description

What it looks like

The medicine is a dark green oil which is supplied in a 50mL amber glass bottle with a tamper-evident child resistant cap. A 1mL oral syringe is provided for dosing the medicine.

Active ingredients of LGP CLASSIC 10:10

Each 1 mL contains:

- delta-9-tetrahydrocannabinol (THC) 10 mg
- cannabidiol (CBD) 10mg

Inactive ingredients of LGP CLASSIC 10:10

The active ingredients are dissolved in medium chain triglycerides oil, which is also known as fractionated coconut oil.

LGP CLASSIC 10:10 does not contain added gluten, lactose, sugars, preservatives or flavourings.

Sponsor Details

LGP CLASSIC 10:10 is manufactured in Australia and is supplied by:

Little Green Pharma
PO Box 3475
Crawley WA 6009
Australia

Phone: 1300 118 840

Email: info@lgpharma.com.au

Date of Preparation

Leaflet originally prepared September 2018

Updated on 19 October 2018; Version 1.4